

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

# THIOREDOXIN *h* CONSTRUCTS FOR TRANSFORMATION





Figure 1

### Sephadex G-50 Activity Profile of Thioredoxin from Barley Grains (+MDH)



### Sephadex G-50 Elution Profile of Proteins from Three Barley Grains




Figure 2




Figure 3





FIGURE 4

# Western Blot Analysis of Barley Grain Transformed with Wheat Thioredoxin

SDS-PAGE: cv. Golden Promise

Title: VALUE ADDED TRAITS IN GRAIN AND  
SEE TRANSFORMED WITH THIOREDOXIN  
Inventor: Myeong-Je CHO et al.  
Application No.: Not Yet Assigned

Sheet 5 of 23



1. Wheat germ thioredoxin
2. Control (GP 4-96), nontransformed
3. Control, null segregant (GPdBssBarWtrx-29-11-10)
4. Transformed, heterozygous line (GPdBssBarWtrx-29)
5. Transformed, homozygous line 1 (GPdBssBarWtrx-29-3)
6. Transformed, homozygous line 2 (GPdBssBarWtrx-29-3-2)
7. Prestained standards

FIGURE 5

AAGCTTTAACAACCCACACATTGATTGCAACTTAGTCCTACACAAGTTTTCCATT  
 CTIGTTTCAGGCTAACAACCTATACAAGGTTCCAAAATCATGCAAAAGTGATGC  
 TAGGTTGATAATGTGTGACATGTAAAGTGAATAAGGTGAGTCATGCATACCAAA  
 CCTCGGGATTCTATACTTTGTGTATGATCATATGCACA'CTAAAGGCAACTTT  
 GATTATCAATTGAAAAGTACCGCTTGTAGCTTGTGCAACCTAACACAATGTCCA  
 AAAATCCATTTGCAAAAGCATCCAAACACAATTGTTAAAGCTGTTCAAACAAAC  
 AAAGAAGAGATGAAGCCTGGCTACTATAAATAGGCAGGTAGTATAGAGATCTA  
 CACAAGCACAAGCATCAAAACCAAGAAACACTAGTTAACACCAATCCACTATGA  
AGACCTTCCTCATCTTTGCACTCCTCGCCATTGCGGCAACAAGTACGATTGCA

Title: VALUE ADDED TRAITS IN GRAIN AND  
 SEE TRANSFORMED WITH THIOREDOXIN  
 Inventor: Myeong-Je CHO et al.  
 Application No.: Not Yet Assigned


Sheet 6 of 23

FIGURE 6

CTTCGAGTGCCCCGCCGATTTGCCAGCAATGGCTAACAGACACATATTCTGCC  
 AAAACCCCAGAACATAATCACTTCTCGTAGATGAAGAGAACAGACCAAGAT  
 ACAAACGTCCACGCTTCAGCAAACAGTACCCCAGAACTAGGATTAAGCCGAT  
 TACGCGGCTTTAGCAGACCGTCCAAAAAACTGTTTTGCAAAGCTCCAATTCC  
 TCCTTGCTTATCCAATTTCTTTTGTGTTGGCAA'ACTGCACTTGTCCAACCGATT  
 TTGTTCTTCCCGTGTTTCTTCTTAGGCTAACTAACACAGCCGTGCACATAGCC  
 ATGGTCCGGAATCTTCACCTCGTCCCTATAAAAGCCCAGCCAATCTCCACAAT  
 CTCATCATCACCGAGAACACCGAGAA'CCACAAA'CTAGAGATCAATTCATTG  
ACAGTCCACCGAGATGGCTAAGCGGCTGGTCCTCTTTGTGGCGGTAATCGTC  
GCCCTCGTGGCTCTCACACCGCT



FIGURE 7

FIGURE 8



Title: VALUE ADDED TRAITS IN GRAIN AND  
SEE TRANSFORMED WITH THIOREDOXIN  
Inventor: Myeong-Je CHO et al.  
Application No.: Not Yet Assigned

Sheet 7 of 23







**FIGURE 9**

**Abundance of  
 $\alpha$ -amylases**


**Total Amylase  
Activity**



**A**



**B**



**C**



**D**

Figure 10




FIGURE 11A




FIGURE 11B

## DNA CONSTRUCTS FOR TRANSFORMATION




Figure 12




Figure 13




Figure 14





Figure 15


**Figure 16**

Effect of Thioredoxin Reduction on Digestion of  
Wheat Glutenins by Trypsin





**Figure 17**



Effect of NTR on the Reduction of Proteins in Extracts of Wheat: Transgenic line Over-expressing Thioredoxin h vs. Null Segregant





Figure 18

Figure 19  
Effect of Overexpressed Thioredoxin *h* on  
Allergenicity of Proteins from Wheat Grain




## FIGURE 20

Sheet 19 of 23

atg gcg gcg tcg gca acg gcg gcg gca gtg gcg gcg gag gtg atc tcg	48
Met Ala Ala Ser Ala Thr Ala Ala Val Ala Ala Glu Val Ile Ser	
1 5 10 15	
gtc cac agc ctg gag cag tgg acc atg cag atc gag gag gcc aac acc	96
Val His Ser Leu Glu Gln Trp Thr Met Gln Ile Glu Glu Ala Asn Thr	
20 25 30	
gcc aag aag ctg gtg gtg att gac ttc act gca tca tgg tgc gga cca	144
Ala Lys Lys Leu Val Val Ile Asp Phe Thr Ala Ser Trp Cys Gly Pro	
35 40 45	
tgc cgc atc atg gct cca gtt ttc gct gat ctc gcc aag aag ttc cca	192
Cys Arg Ile Met Ala Pro Val Phe Ala Asp Leu Ala Lys Lys Phe Pro	
50 55 60	
aat gct gtt ttc ctc aag gtc gac gtg gat gaa ctg aag ccc att gct	240
Asn Ala Val Phe Leu Lys Val Asp Val Asp Glu Leu Lys Pro Ile Ala	
65 70 75 80	
gag caa ttc agt gtc gag gcc atg cca acg ttc ctg ttc atg aag gaa	288
Glu Gln Phe Ser Val Glu Ala Met Pro Thr Phe Leu Phe Met Lys Glu	
85 90 95	
gga gac gtc aag gac agg gtt gtc gga gct atc aag gag gaa ctg acc	336
Gly Asp Val Lys Asp Arg Val Val Gly Ala Ile Lys Glu Glu Leu Thr	
100 105 110	
gcc aag gtt ggg ctt cac gcg gcg gcc cag taa	369
Ala Lys Val Gly Leu His Ala Ala Ala Gln	
115 120	


FIGURE 21



## FIGURE 22

Sheet 21 of 23

**Different Relative Redox Status of Protein Fractions  
in Transgenic Barley Grain Over-Expressing  
Wheat Thioredoxin h vs. the Null Segregant:  
Dry and Germinating Grain**



Effect of Glucose-6-phosphate Dehydrogenase on the Reduction of Proteins in Extracts of Transgenic Wheat Grain Overexpressing Thioredoxin *h* in the Presence of Glucose 6-phosphate and Arabidopsis NTR: +/- NTR




FIGURE 23

# Effect of Glucose-6-phosphate Dehydrogenase on the Reduction of Proteins in Extracts of Null Segregant Derived from Wheat Grain Overexpressing Thioredoxin *h* in the Presence of Glucose 6- phosphate and Arabidopsis NTR: +/- NTR




FIGURE 24